



B&B Wood Products inc.

26301 Richmond Road, Bedford Hts, OH 44146-1488


(216) 292-6555 / ; E-mail: info@bbwood.com

DOOR Selection Guide - 1A

See the following Sections for all of our door products

2. Decorative Entrance 3. Louver, Panel & Glass, 4. Flush, Masonite, MDF 5. Pockets, Screen/Combo, Mirrors, Accordion 6. Cafe Doors


Just imagine the possibilities!




Louver
Page 5




Sidelights
Page 5



Panel/Glass
Pages 6-13



Plank/Glass
Page 14



French
Page 15



Your Design

Doors by B&B Wood Products are available in a wide variety of designs and species. The following pages show just a few of the many possible designs available. Use these designs as a starting point. Change a panel into glass. Rearrange the panels or just start from scratch.

Doors are available in hardwoods, softwoods and primed MDF. The next page details our wood specie offerings.

Doors are manufactured in one of three series: All 3 series are of the highest quality. All three series have engineered stiles and rails (veneered) to prevent the warping issues that are common in solid stile and rail wood doors. You can specify one of the three manufacturing types or allow us to choose for you based upon the specifications that you have provided.

- **“AD”** manufactured. Uses only veneered panels to eliminate panel movement caused by changes in humidity.
- **“RV”** manufactured. Uses solid raised panels which offer more panel options. Twenty minute (neutral pressure) fire doors are available. MDF is also available
- **“TS”** manufactured. MDF and wood doors. Unlimited possibilities including up to 90-minute fire doors; Wide range of MDF options, Raised Moulding and much more.

You may specify stile and rail dimensions, sticking preference, type of glass and thickness of panels. Door thickness ranges from 1-3/8" to 2-1/4". Doors may be furnished with safety glass, art glass or open for your own glass. Doors can be manufactured for interior or exterior use (certain restrictions apply). Door designations begin with a "CD" (Custom Door). If we STOCK that design you will find an "ND" number listed under the "CD" number. Stock doors may be limited to certain species and stile and panel configurations. . For the best Fiberglass doors and wood Decorative Exterior doors please see section 2A. Please request our warranty guide or view it on www.bbwood.com to see what restrictions exist for your door size and application.

Door Selection Guide

Species:

Choose from a wide selection of wood species. Further customize your door by selecting a double-sided door: one specie for one side of the door and another for the reverse side to match your room's décor.

Softwoods: Fir, Pine, Knotty Pine

Hardwoods: Alder, Knotty Alder, Ash, Birch, Cherry, Hickory, Mahogany (African), Maple (Hard White), Poplar, Prime, Red Oak, Walnut and White Oak

MDF: Primed - options of stile and rail MDF (specify TS) or routed MDF door slabs (specify RV)

Finish:

Choose from unfinished, primed or pre-finished. Jambs, stops and selected trim profiles are available to match your pre-finished selection. Pre-finish stain colors can be viewed on www.bbwood.com

Glass Options:

 See www.bbwood.com for a complete selection.

Custom glass choices have never been greater than they are today. Any panel door can include glass. A suffix of “-G” indicates all panels are glass. A suffix of “-#” indicates the number of lights of glass in the door. The following are a small representation of our glass type offerings.

- Clear: Standard fully transparent. Available in 1/8”, 1/4” and Insulated.
- Bevel: A clear, tempered glass with a striking beveled edge.
- White Laminate or Satin: Use when an “obscure” or “frosted” look is required. White Laminate is a multifunctional safety glazing material manufactured by sandwiching a white film between two clear glass panels. Satin glass is similar to sandblasted glass.
- Glue Chip: A stylish frosted treatment that is fairly opaque.
- Rain: A vertical treatment resembling raindrops that is fairly opaque.
- Mirror: Available on both sides of your door or on one side with the reverse side as flat paneled.


Other designs: Mist, Grey, Bronze, Seedy Baroque, Evergreen, Bamboo, Sycamore, Reeded plus many more.

Etched Glass:

Glass panels on your custom doors may be etched with words, logos or graphics of your choice. See www.bbwood.com for a complete list of standard etchings. Custom etching is available.



RV Pantry glass shown above




RV Office glass shown above


Door Selection Guide

Sticking Options:


Basic Sticking: Ovolo pattern. (Note: TS door's basic sticking is OG)




Ovolo
AD, RV, TS doors




OG
TS doors




Bevel
RV & TS doors




Quarter Round
TS doors




Tradition
TS doors




Square (Shaker)
AD, RV, TS doors




Square (for Glass Doors)
TS doors




Square (for Glass Doors)
RV doors




One Step
TS doors




BM
RV doors




BM
TS doors



BBM
TS doors




LP
TS doors




ARM (Applied Raise Mldg)
TS doors

Panel Options:


“AD” doors use the “Scoop Design” and are 1-1/16” thick veneered panels. Flat panels are 1/2” thick (and use Qtr Round or Square sticking) .



Scoop Panel



HRP: Hip Raised Panel



Flat Panel

“RV” doors use the hip-raised design on their solid panels. Thickness can vary based on door design and wood specie. The standard thickness is 3/4” (9/16” on pine) with options of 1-1/8” or 1-3/8” thick. Flat panels are 1/4” thick for 1-3/8” thick doors and 1/4” or 5/8” thick on 1-3/4” doors. Primed wood doors use an 1-1/4” raised panel.

“TS” manufactured panels vary based on the sticking specified. The basic parameters are as follows. MDF and wood 1-3/8” thick doors have approximately 3/4” thick raised panels and 3/8” thick flat panels. MDF 1-3/4” thick doors have 7/8” thick raised panels (option of 1-1/8”) and 1/2” thick flat panels. Wood 1-3/4” thick doors have 3/4” thick raised panels (square and one-step sticking have 1-7/16”) and 5/8” thick flat panels.

Carved Panels:

“RV” Doors can be carved with words, logos and graphics. Each figure will be precisely created and milled using a Computer Numeric Control router, ensuring a crisp look for your design.






B&B Wood Products inc.


26301 Richmond Road, Bedford Hts, OH 44146-1488
(216) 292-6555 / E-mail: info@bbwood.com

Door Selection Guide

Panel Options: Panels can be changed in many ways. Start with a square top panel. Change the panel to an Eyebrow, Segment or Round Top. Change all or some of the panels to glass.



Door Head Options: Square top doors can be manufactured with -RT: round tops (radius top), -AT: arch tops (segment top), -ET: Eyebrow top (not pictured) or -CCT: Clip Corner Top. CAP- Common Arch Pairs extend the radius of the panels across a pair of doors.




Dentil Ledge Options:



CD433-3 with "TS" shelf

Dentil Ledges are available for many of our door designs. Ledges are shipped loose for job application. The number of dentil blocks included may vary with the width of the door. "TS" doors have an optional ledge as shown in the picture on the left. "RV" doors may be specified with a small or a large dentil ledge as pictured below and to the right.



"RV" ledges pictured above



CD791S-6 with RV shelf

Sidelights

*Indicates stock door number



Louver Doors


Louver Configurations



Slat

Louvers can add a touch of elegance to your opening. They also can provide for air circulation, for furnace rooms, laundry rooms and closets. Custom louver doors have slat louvers (pictured to the left) Standard slat size is 1-1/8". Slat size 2" can be quoted. Simulated (non-venting) louvers can be quoted upon request. We can also replace one or more panels in your door with louvers.

Add louvers to any panel door!






B&B Wood Products inc.

26301 Richmond Road, Bedford Hts, OH 44146-1488

(216) 292-6555 / E-mail: info@bbwood.com


Door Selection Guide

*Indicates stock door number



CD300


*ND100FP




CD300E




CD300R




CD300S




CD300E2




CD300S2




CD310



CD311




CD312




CD313

*ND102FP




CD313-G




CD313-1


*ND575




CD313-1CS
screen/storm
unit




CD313-3



CD313-4




CD313-6




CD313-9


*ND580




CD313-9P




CD313E




CD313E-1




CD313E3




CD313E4




CD313R




CD313S



CD313S-1




CD313S3




CD313S4

Option: Flat panel door with
3" Miracle Mould



CD313R-RT



CD313S shown with
Speak-Easy and Grill




B&B Wood Products inc.

26301 Richmond Road, Bedford Hts, OH 44146-1488


(216) 292-6555 / E-mail: sales@bbwood.com

Door Selection Guide


*Indicates stock door




CD315-1
*ND501,
*4621




CD315E-1




CD315R-1




CD315S-1




CD315-2V




CD315-3V




CD315-4H




CD315-5H




CD315-6




CD315-8




CD315E-8




CD315-10




CD315E3-10




CD315-12
*ND506,
*412




CD315-15




CD315-18




CD317




CD317E




CD317S




CD318




CD318E6




CD321




CD321-1




CD321-4




CD321-6




CD321-9




CD321E




CD321E5



CD321R



CD321S



CD321S5




B&B Wood Products inc.

26301 Richmond Road, Bedford Hts, OH 44146-1488


(216) 292-6555 / E-mail: sales@bbwood.com

Door Selection Guide


*Indicates stock door




CD330QE




CD330QS




CD331



CD331-9




CD333




CD333QS



CD409QS in Knotty
Alder




CD359




CD359G




CD361




CD361R




CD365




CD365QE




CD365QS




CD366




CD366QE




CD366QR




CD366QS




CD377




CD403




CD403G




CD403E




CD403S




CD403R




CD404




CD404E




CD404S




CD405
*ND107



CD406



CD4065-1



CD4075




B&B Wood Products inc.

26301 Richmond Road, Bedford Hts, OH 44146-1488


(216) 292-6555 / E-mail: info@bbwood.com

Door Selection Guide


*Indicates stock door number




CD408




CD408E




CD408E3




CD408R




CD408S




CD408S3




CD408-1
*ND559




CD408-6
*ND561




CD408-9
*ND562




CD408-9P




CD408R-1




CD409
*ND106




CD409E




CD409S4




CD409R




CD409R-2




CD409QE
*ND410




CD409QE3




CD409QR




CD409QS




CD409QS3




CD411




CD411E




CD411R




CD411S




CD411-1
*ND567




CD411-9
*ND570




CD412




CD412QE



CD412QE5



CD412QS



CD412QS5




B&B Wood Products inc.

26301 Richmond Road, Bedford Hts, OH 44146-1488


(216) 292-6555 / E-mail: info@bbwood.com

Door Selection Guide


*Indicates stock door number




CD413-1
*ND537




CD413-3
*ND536




CD413-6
*ND539




CD413-9
*ND540




CD414




CD414-1
*ND614




CD414-9
*ND612




CD414-12D
*ND616




CD415




CD415QE




CD415QR




CD415QS




CD416-1
*ND572




CD416-9
*ND571




CD417




CD417QE



CD417QR



CD417QS



CD417R



CD418
*ND108




CD418-2
*ND596




CD418QE




CD418QS




CD418QS2




CD419-4
*ND598




CD419E-4
*ND607




CD420




CD423
*ND109




CD423QE
*198



CD423QR



CD423QS



CD425
*ND112




B&B Wood Products inc.


26301 Richmond Road, Bedford Hts, OH 44146-1488

(216) 292-6555 / E-mail: info@bbwood.com


Door Selection Guide




CD431




CD431-1




CD431-2V




CD431-3V




CD431-4




CD431-6




CD431-9P




CD431S-6




CD432-3V




CD432-4V




CD433-3V




CD433-4V




CD434




CD434QE




CD434QS




CD435




CD435-G




CD435QR




CD435QE




CD435QS




CD436




CD436E




CD436S




CD437-1




CD437-2




CD437-3




CD437-4




CD437-6
*2662
*4662



CD437S-6



CD439-1



CD439-6




B&B Wood Products inc.

26301 Richmond Road, Bedford Hts, OH 44146-1488

(216) 292-6555 / E-mail: info@bbwood.com

Door Selection Guide


*Indicates stock door number




CD456




CD457




CD459-1




CD462-1




CD462E-1




CD462S-1




CD464-1




CD481-4
*ND600




CD503E




CD504




CD504E




CD504S




CD507




CD507-G




CD507QE




CD509




CD510
*510




CD510-1




CD510-3




CD516




CD523




CD523QE




CD523-G




CD528
*ND113




CD532
*532




CD532-G




CD543




CD543-G




CD547



CD547QE




CD547QS




CD548
*177

Door Selection Guide


*Indicates stock door number




CD548QS




CD549




CD549QS




CD550-1




CD550-2V




CD550-3V




CD550-4




CD550-6




CD551




CD551-3V




CD551-4V




CD551E




CD551S




CD553-6




CD554




CD555




CD555QR




CD557QS-1
*601




CD563QS



CD565QS




CD566QS




CD573




CD574




CD576




CD576E




CD576S




CD577




CD578




CD578QE




CD578QR




CD578QS




CD588




CD588E




CD588S




CD589




CD590



CD590E




CD590S



CD591



V-Groove / Beaded Doors




Beaded Panel



V-Groove Panel


Beaded or V-Groove can be specified for any door. Beaded Panels are standard on our RV doors. V-Groove Panels are standard on our TS doors.




CD781-6

Change Planks
CD781-4 4 planks
CD781-5 5 planks
CD781-7 7 planks
CD781-8 8 planks


CD781-5 is standard for "TS" doors




CD782




CD783




CD784




CD785




CD785S




CD785R




CD785CB




CD786




CD786S




CD786R




CD787




CD788




CD789




CD789S




CD790-6




CD790-8




CD790-12




CD790S-12




CD791-6




CD791S-6




CD791-3V



CD791S-3V



CD792-9



CD792S-9



CD781-AT with Clavos

Grills & Speak Easy Options:




Black Grill
2x10x12-1/2



Speak Easy
available as
panel, glass or
both combined


Clavos:



Round: 3/4",
1-1/8", 1-5/8"




Pyramid: 1",
1-5/8"




Square: 1-1/8",
1-5/8"

Door Selection Guide


*Indicates stock door number



CD600-1
*ND620, 4501




CD600E-1




CD600R-1




CD600S-1




CD600-2V




CD600-3V




CD610-1
*ND635




CD600-3H




CD600-4H




CD600-5H
*ND630




CD600-6H




CD600-6




CD600E-6




CD600-8




CD600R-8




CD600-10
*ND625




CD600-15
*ND627, 4515




CD600E-15




CD600R-15




CD600S-15




CD600R-17-RT




CD600-18




CD600S-18




CD600-2/1




CD600-3/1




CD600-1/2




CD600-2/2




CD600-3/2




CD600-3/2/3




CD600-1/3




CD600-3/3




CD600-2/3/2



CD600-9P
*ND652



CD600-12P



CD600-13P